


MRT425 無限鍍膜全鎢鋼深溝斜刃立銑刀

4-Flute Taper End Mills for Deep Rib



* 底刃二刃型。

* NS獨自開發的高剛性設計，可以實現高精度、高能率之加工。

單位：mm

先端徑 (D)	單角 (θ)	刃長 (ℓ)	粗端徑 (d ₁)	柄徑 (d)	全長 (L)	價(支)格
0.2	30'	2	0.23	3	40	6,620.00
0.2	1°	2	0.27	3	40	6,620.00
0.2	1°30'	2	0.3	3	40	6,620.00
0.2	2°	2	0.34	3	40	6,620.00
0.3	30'	3	0.35	3	40	4,860.00
0.3	1°	3	0.4	3	40	4,860.00
0.3	1°30'	3	0.46	3	40	4,860.00
0.3	2°	3	0.51	3	40	4,860.00
0.4	30'	4	0.47	3	40	4,860.00
0.4	1°	4	0.54	3	40	4,860.00
0.4	1°30'	4	0.61	3	40	4,860.00
0.4	2°	4	0.68	3	40	4,860.00
0.5	30'	4	0.57	3	40	4,410.00
0.5	1°	4	0.64	3	40	4,410.00
0.5	1°30'	4	0.71	3	40	4,410.00
0.5	2°	4	0.78	3	40	4,410.00
0.5	30'	6	0.6	3	40	4,410.00
0.5	1°	6	0.71	3	40	4,410.00
0.5	1°30'	6	0.81	3	40	4,410.00
0.5	2°	6	0.92	3	40	4,410.00
0.6	30'	4	0.67	3	40	4,410.00
0.6	1°	4	0.74	3	40	4,410.00
0.6	1°30'	4	0.81	3	40	4,410.00
0.6	2°	4	0.88	3	40	4,410.00
0.6	30'	6	0.7	3	40	4,410.00
0.6	1°	6	0.81	3	40	4,410.00
0.6	1°30'	6	0.91	3	40	4,410.00
0.6	2°	6	1.02	3	40	4,410.00
0.7	30'	6	0.8	3	40	6,050.00
0.7	1°	6	0.91	3	40	6,050.00
0.7	1°30'	6	1.01	3	40	6,050.00
0.7	2°	6	1.12	3	40	6,050.00
0.7	30'	8	0.84	3	45	6,050.00
0.7	1°	8	0.98	3	45	6,050.00
0.7	1°30'	8	1.12	3	45	6,050.00
0.7	2°	8	1.26	3	45	6,050.00
0.8	15'	4	0.83	4	45	4,410.00
0.8	30'	4	0.87	4	45	4,410.00
0.8	1°	4	0.94	4	45	4,410.00
0.8	1°30'	4	1.01	4	45	4,410.00
0.8	2°	4	1.08	4	45	4,410.00


先端徑 (D)	單角 (θ)	刃長 (ℓ)	粗端徑 (d ₁)	柄徑 (d)	全長 (L)	價(支)格
0.8	15'	6	0.85	4	45	4,410.00
0.8	30'	6	0.9	4	45	4,410.00
0.8	1°	6	1.01	4	45	4,410.00
0.8	1°30'	6	1.11	4	45	4,410.00
0.8	2°	6	1.22	4	45	4,410.00
0.8	15'	8	0.87	4	45	4,410.00
0.8	30'	8	0.94	4	45	4,410.00
0.8	1°	8	1.08	4	45	4,410.00
0.8	1°30'	8	1.22	4	45	4,410.00
0.8	2°	8	1.36	4	45	4,410.00
0.8	15'	10	0.89	4	45	4,410.00
0.8	30'	10	0.97	4	45	4,410.00
0.8	1°	10	1.15	4	45	4,410.00
0.8	1°30'	10	1.32	4	45	4,410.00
0.8	2°	10	1.5	4	45	4,410.00
0.8	30'	12	1.01	4	50	4,410.00
0.8	1°	12	1.22	4	50	4,410.00
0.8	1°30'	12	1.43	4	50	4,410.00
0.8	2°	12	1.64	4	50	4,410.00
1	15'	6	1.05	4	45	4,410.00
1	30'	6	1.1	4	45	4,410.00
1	1°	6	1.21	4	45	4,410.00
1	1°30'	6	1.31	4	45	4,410.00
1	2°	6	1.42	4	45	4,410.00
1	15'	8	1.07	4	45	4,410.00
1	30'	8	1.14	4	45	4,410.00
1	1°	8	1.28	4	45	4,410.00
1	1°30'	8	1.42	4	45	4,410.00
1	2°	8	1.56	4	45	4,410.00
1	15'	10	1.09	4	45	4,410.00
1	30'	10	1.17	4	45	4,410.00
1	1°	10	1.35	4	45	4,410.00
1	1°30'	10	1.52	4	45	4,410.00
1	2°	10	1.7	4	45	4,410.00
1	15'	12	1.1	4	50	4,520.00
1	30'	12	1.21	4	50	4,520.00
1	1°	12	1.42	4	50	4,520.00
1	1°30'	12	1.63	4	50	4,520.00
1	2°	12	1.84	4	50	4,520.00
1	1°	16	1.56	4	55	4,520.00
1	1°30'	16	1.84	4	55	4,520.00

無限鍍膜刀具

MUGEN Coating

MRT425 無限鍍膜全鎢鋼深溝斜刃立銑刀

4-Flute Taper End Mills for Deep Rib



* 底刃二刃型。

* NS獨自開發的高剛性設計，可以實現高精度、高能率之加工。


單位：mm

先端徑 (D)	單角 (θ)	刃長 (l)	粗端徑 (d ₁)	柄徑 (d)	全長 (L)	價(支)格	先端徑 (D)	單角 (θ)	刃長 (l)	粗端徑 (d ₁)	柄徑 (d)	全長 (L)	價(支)格
1	2°	16	2.12	4	55	4,520.00	1.5	2°	8	2.06	4	45	6,160.00
1.2	15'	6	1.25	4	45	6,050.00	1.5	15'	10	1.59	4	45	6,160.00
1.2	30'	6	1.3	4	45	6,050.00	1.5	30'	10	1.67	4	45	6,160.00
1.2	1°	6	1.41	4	45	6,050.00	1.5	1°	10	1.85	4	45	6,160.00
1.2	1°30'	6	1.51	4	45	6,050.00	1.5	1°30'	10	2.02	4	45	6,160.00
1.2	2°	6	1.62	4	45	6,050.00	1.5	2°	10	2.2	4	45	6,160.00
1.2	15'	10	1.29	4	45	6,050.00	1.5	15'	12	1.6	4	50	6,160.00
1.2	30'	10	1.37	4	45	6,050.00	1.5	30'	12	1.71	4	50	6,160.00
1.2	1°	10	1.55	4	45	6,050.00	1.5	1°	12	1.92	4	50	6,160.00
1.2	1°30'	10	1.72	4	45	6,050.00	1.5	1°30'	12	2.13	4	50	6,160.00
1.2	2°	10	1.9	4	45	6,050.00	1.5	2°	12	2.34	4	50	6,160.00
1.2	15'	12	1.3	4	50	6,160.00	1.5	15'	16	1.64	4	55	6,280.00
1.2	30'	12	1.41	4	50	6,160.00	1.5	30'	16	1.78	4	55	6,280.00
1.2	1°	12	1.62	4	50	6,160.00	1.5	1°	16	2.06	4	55	6,280.00
1.2	1°30'	12	1.83	4	50	6,160.00	1.5	1°30'	16	2.34	4	55	6,280.00
1.2	2°	12	2.04	4	50	6,160.00	1.5	2°	16	2.62	4	55	6,280.00
1.2	15'	16	1.34	4	55	6,280.00	1.5	15'	20	1.67	4	55	6,670.00
1.2	30'	16	1.48	4	55	6,280.00	1.5	30'	20	1.85	4	55	6,670.00
1.2	1°	16	1.76	4	55	6,280.00	1.5	1°	20	2.2	4	55	6,670.00
1.2	1°30'	16	2.04	4	55	6,280.00	1.5	1°30'	20	2.55	4	55	6,670.00
1.2	2°	16	2.32	4	55	6,280.00	1.5	2°	20	2.9	4	55	6,670.00
1.2	1°	20	1.9	4	55	6,280.00	1.5	1°	25	2.37	4	60	6,670.00
1.2	1°30'	20	2.25	4	55	6,280.00	1.5	1°30'	25	2.81	4	60	6,670.00
1.2	2°	20	2.6	4	55	6,280.00	1.5	2°	25	3.25	4	60	6,670.00
1.3	30'	12	1.51	4	50	6,160.00	1.6	30'	8	1.74	4	45	6,160.00
1.3	1°	12	1.72	4	50	6,160.00	1.6	1°	8	1.88	4	45	6,160.00
1.3	1°30'	12	1.93	4	50	6,160.00	1.6	1°30'	8	2.02	4	45	6,160.00
1.3	2°	12	2.14	4	50	6,160.00	1.6	2°	8	2.16	4	45	6,160.00
1.4	30'	12	1.61	4	50	6,160.00	1.6	30'	12	1.81	4	50	6,670.00
1.4	1°	12	1.82	4	50	6,160.00	1.6	1°	12	2.02	4	50	6,670.00
1.4	1°30'	12	2.03	4	50	6,160.00	1.6	1°30'	12	2.23	4	50	6,670.00
1.4	2°	12	2.24	4	50	6,160.00	1.6	2°	12	2.44	4	50	6,670.00
1.5	15'	6	1.55	4	45	6,160.00	1.6	30'	16	1.88	4	55	6,670.00
1.5	30'	6	1.6	4	45	6,160.00	1.6	1°	16	2.16	4	55	6,670.00
1.5	1°	6	1.71	4	45	6,160.00	1.6	1°30'	16	2.44	4	55	6,670.00
1.5	1°30'	6	1.81	4	45	6,160.00	1.6	2°	16	2.72	4	55	6,670.00
1.5	2°	6	1.92	4	45	6,160.00	1.6	30'	20	1.95	4	55	6,670.00
1.5	15'	8	1.57	4	45	6,160.00	1.6	1°	20	2.3	4	55	6,670.00
1.5	30'	8	1.64	4	45	6,160.00	1.6	1°30'	20	2.65	4	55	6,670.00
1.5	1°	8	1.78	4	45	6,160.00	1.6	2°	20	3	4	55	6,670.00
1.5	1°30'	8	1.92	4	45	6,160.00	1.8	15'	8	1.87	4	45	6,670.00

無限鍍膜刀具 MUGEN Coating

MRT425 無限鍍膜全鎢鋼深溝斜刃立銑刀

4-Flute Taper End Mills for Deep Rib



* 底刃二刃型。

* NS獨自開發的高剛性設計，可以實現高精度、高能率之加工。

單位：mm

先端徑 (D)	單角 (θ)	刃長 (ℓ)	粗端徑 (d ₁)	柄徑 (d)	全長 (L)	價(支)格
1.8	30'	8	1.94	4	45	6,670.00
1.8	1°	8	2.08	4	45	6,670.00
1.8	1°30'	8	2.22	4	45	6,670.00
1.8	2°	8	2.36	4	45	6,670.00
1.8	15'	16	1.94	4	55	6,670.00
1.8	30'	16	2.08	4	55	6,670.00
1.8	1°	16	2.36	4	55	6,670.00
1.8	1°30'	16	2.64	4	55	6,670.00
1.8	2°	16	2.92	4	55	6,670.00
1.8	15'	24	2.01	4	60	6,670.00
1.8	30'	24	2.22	4	60	6,670.00
1.8	1°	24	2.64	4	60	6,670.00
1.8	1°30'	24	3.06	4	60	6,670.00
1.8	2°	24	3.48	4	60	6,670.00
2	15'	8	2.07	4	45	6,670.00
2	30'	8	2.14	4	45	6,670.00
2	1°	8	2.28	4	45	6,670.00
2	1°30'	8	2.42	4	45	6,670.00
2	2°	8	2.56	4	45	6,670.00
2	15'	10	2.09	4	45	6,670.00
2	30'	10	2.17	4	45	6,670.00
2	1°	10	2.35	4	45	6,670.00
2	1°30'	10	2.52	4	45	6,670.00
2	2°	10	2.7	4	45	6,670.00
2	15'	12	2.1	4	50	6,670.00
2	30'	12	2.21	4	50	6,670.00
2	1°	12	2.42	4	50	6,670.00
2	1°30'	12	2.63	4	50	6,670.00
2	2°	12	2.84	4	50	6,670.00
2	3°	12	3.26	4	50	6,670.00
2	15'	16	2.14	4	55	6,670.00
2	30'	16	2.28	4	55	6,670.00
2	1°	16	2.56	4	55	6,670.00
2	1°30'	16	2.84	4	55	6,670.00
2	2°	16	3.12	4	55	6,670.00
2	3°	16	3.68	4	55	6,670.00
2	15'	20	2.17	4	55	6,670.00
2	30'	20	2.35	4	55	6,670.00
2	1°	20	2.7	4	55	6,670.00
2	1°30'	20	3.05	4	55	6,670.00
2	2°	20	3.4	4	55	6,670.00

先端徑 (D)	單角 (θ)	刃長 (ℓ)	粗端徑 (d ₁)	柄徑 (d)	全長 (L)	價(支)格
2	3°	20	4.1	6	55	6,670.00
2	15'	25	2.22	4	60	7,180.00
2	30'	25	2.44	4	60	7,180.00
2	1°	25	2.87	4	60	7,180.00
2	1°30'	25	3.31	4	60	7,180.00
2	2°	25	3.75	4	60	7,180.00
2	3°	25	4.62	6	60	7,180.00
2	30'	30	2.52	4	65	7,180.00
2	1°	30	3.05	4	65	7,180.00
2	1°30'	30	3.57	4	65	7,180.00
2	2°	30	4.1	6	65	7,180.00
2	3°	30	5.14	6	65	7,180.00
2.5	30'	10	2.67	4	45	7,290.00
2.5	1°	10	2.85	4	45	7,290.00
2.5	1°30'	10	3.02	4	45	7,290.00
2.5	2°	10	3.2	4	45	7,290.00
2.5	30'	16	2.78	4	50	7,290.00
2.5	1°	16	3.06	4	50	7,290.00
2.5	1°30'	16	3.34	4	50	7,290.00
2.5	2°	16	3.62	4	50	7,290.00
2.5	30'	20	2.85	4	55	7,290.00
2.5	1°	20	3.2	4	55	7,290.00
2.5	1°30'	20	3.55	4	55	7,290.00
2.5	2°	20	3.9	4	55	7,290.00
2.5	30'	25	2.94	4	60	7,970.00
2.5	1°	25	3.37	4	60	7,970.00
2.5	1°30'	25	3.81	4	60	7,970.00
2.5	2°	25	4.25	6	60	7,970.00
2.5	30'	30	3.02	4	65	7,970.00
2.5	1°	30	3.55	4	65	7,970.00
2.5	1°30'	30	4.07	6	65	7,970.00
2.5	2°	30	4.6	6	65	7,970.00
3	30'	25	3.44	6	65	7,970.00
3	1°	25	3.87	6	65	7,970.00
3	1°30'	25	4.31	6	65	7,970.00
3	2°	25	4.75	6	65	7,970.00
3	30'	40	3.7	6	80	8,760.00
3	1°	40	4.4	6	80	8,760.00
3	1°30'	40	5.09	6	80	8,760.00
3	2°	40	5.79	6	80	8,760.00

無限鍍膜刀具

MUGEN Coating